

Features

Housing

Die-formed Cold-rolled Steel
 Finish Option: -06 White, -30 Oil Rubbed Bronze, -62 Satin Nickel

Optical

Glass Shade

Electrical

High Power Factor, Low THD

Lamp


LED Type: Built-in (Color Temperature Option – 3000K, 3500K, 4000K, 5000K)
 CFL Type: GU24 CFL Bulb (Color Temperature Option – 2700K, 4000K)

Certification

UL/cUL, ETL/cETL Listed, Suitable for Damp Locations

Warranty

5 Years Warranty on Driver and LED Module



LED Type

Model	Input Voltage	Input Wattage	CRI	Lumen (TYP) / CT	Dimension (OD X H)	Finish	Shade	Energy Star
1010D-3000K-62	120V	18W	80	1400 / 3000K	12.0" x 3.5"	Satin Nickel	Frosted Glass	Yes
1009D-3000K-62	120V ~ 277V	23W	80	1600 / 3000K	16.0" x 4.8"	Satin Nickel	Frosted Glass	---

GU24 CFL Type

Model	Input Voltage	Finish	Shade	Dimension (OD x H)	Lamp	Energy Star
1011PG-123-62	120V	Satin Nickel	Alabaster Glass or Frosted Glass	10.3" x 4.3"	1 x 23W GU24	---
1010PG-213-62	120V	Satin Nickel	Alabaster Glass or Frosted Glass	12.0" x 3.5"	2 x 13W GU24	---
1010PG-223-62	120V	Satin Nickel	Alabaster Glass or Frosted Glass	12.0" x 3.5"	2 x 23W GU24	---
1009PG-218-62	120V	Satin Nickel	Alabaster Glass or Frosted Glass	16.0" x 4.8"	2 x 18W GU24	---