




Project Details		Type
Project:		
Product:		
Prepared by:		
Notes:		

Selector switch on top of the fixture.



ATG's 8 inch selectable commercial LED downlight can be installed into a hollow opening to create a seamless recessed design. A built in clip allows the downlight to secure snugly within an existing fitting. The fixture is color and power selectable, allowing custom variations, including wattages of 12W, 20W, and 30W and color temperatures of 3000K, 4000K, and 5000K.

- Product Highlights**
- Retrofit and new construction installation
 - Universal housing compatibility
 - Adjustable lumen output and color (3 each)
 - 12W/20W/30W
 - 3000K/4000K/5000K
 - Easy fit installation and spring action housing clips
 - Universal voltage 100-277Vac

Certifications and Compatibilities

5 YEAR WARRANTY

24 JA8

Product Specs

Input Voltage (VAC)	100-277Vac
CRI	90
CCT (K)	3000, 4000, 5000
Color	White
Housing	Universal Housing Compatibility
Limited Warranty	5 Years [†]

[†]see website for warranty terms

Selectable 8" Downlight **Example: DJ8T-30-01**

Product ID	Wattage	CCT	Voltage	Finish Color
DJ8T	30=30W/20W/12W Selectable	01=3000K/4000K/5000K Selectable	Blank=100-277V	Blank=White



Options

E7	LED Emergency Driver - EMH-08170-FY (FOR 12W MODEL)
E8	LED Emergency Driver - EMH-18170 (FOR 20W AND 30W MODELS)

Electrical


Product Features						
Wattage		Lumens (Lm)		CCT		
LOW-12W		1000		3000		
MED-20W		1700		4000		
HIGH-30W		2500		5000		
Current	Wattage	LEDS	LED Current	CRI	Lumens	EM Lumens
.10	12W	96	.06	90	1000	667
.17	20W		.09		1700	1,530
.25	30W		.14		2500	1,500

Selector switch on top of the fixture.




Dimensions	
DEPTH (D)	DIAMETER (Ø)
4.4" (112mm)	9.4" (240mm)

Photometric




DJ8T-30-01 3000K@12W
 1tick=10ft
 Light Loss Factor=1.00
 Lumens Per Lamp=1261.4
 Total Lamp Lumens=1261.4
 Mounting Height=8.00ft
 Maximum Calculated Value=9.07 Fc

Photometric




DJ8T-30-01 3000K@20W
 1tick=10ft
 Light Loss Factor=1.00
 Lumens Per Lamp=1914.5
 Total Lamp Lumens=1914.5
 Mounting Height=8.00ft
 Maximum Calculated Value=13.77 Fc




DJ8T-30-01 3000K@30W
 1tick=10ft
 Light Loss Factor=1.00
 Lumens Per Lamp=2550.9
 Total Lamp Lumens=2550.9
 Mounting Height=8.00ft
 Maximum Calculated Value=18.35 Fc


Polar Graph



DJ8T-30-01 12W 3000K
Maximum Candela = 580.45



DJ8T-30-01 20W 3000K
Maximum Candela = 881.07



DJ8T-30-01 30W 3000K
Maximum Candela = 1174.1

Compatible Wall Dimmer Controls

Leviton	DSL06
	DS710
Lutron	DVWCL-153PH-WH
	DVSTV-WH

Projected Lumen Maintenance

Ambient Test Temp	Reported Hours	0 Hrs	25,000 Hrs	TMI21-11* L94 54,000	50,000 Hrs	100,000 Hrs	L70 Hrs
25°C / 77°F	54,000	1	0.8775	0.7461	0.763	0.5768	65,000

Hongli; LED Model: HL-AT-2835DW-S1-08-PCT-HR3

Application


The customization feature makes this fixture suitable for all applications requiring downlighting. This commercial downlight can be found in applications requiring a cleaner, architectural design. Simply adjust the lamp's power or color to the desired lumen output by sliding the selector switch on top of the fixture.

Construction


The clips built into the design of this downlight allow the fixture to be adjusted within a range of housings ranging from 7.6" - 9.4". The spring clips push easily into this range of both retrofit and new building installs.

Installation


Retrofit Installation




Attach safety clip




Bypass ballast & wire to j-box



Adjust lumens to desired output




Push clips up & install into fixture




Ensure fixture is flush. Installation is complete


New Construction Installation




Attach safety clip




Wire to j-box



Adjust lumens to desired output



Push clips up & install into opening



Ensure fixture is flush. Installation is complete

Options

The EMH-XX170-FY from HELPOWER is an UL listed LED emergency driver for field and factory installation allows the same LED fixture to be used for both normal and emergency operation. In the event of a power failure, it switches to the emergency mode and operates the exiting fixture for 90 minutes. The unit contains a battery, charger and converter circuit in a single enclosure and is available in different mounting configurations for individual fixture requirements. The EMH-XX170-FY will operate an LED array load at 12 watts, 20 watts, 30 watts with constant power at rated output voltage of 170VDC.



Options

E7	8W LED EMERGENCY DRIVER - EMH-08170-FY (FOR 12W MODEL)
E8	18W LED EMERGENCY DRIVER - EMH-18170-FY (FOR 20W AND 30W MODELS)

Product Highlights

- NFPA101 (Life Safety Code)
- NFPA70 (National Electrical Code)
- Waterproof 2-in-1 LED test switch and indicator light included
- EMI (Radiated and Conducted) FCC Class15B
- Product types reducing product SKUs for emergency options



Li-ion





INDOOR

DUO 8" LED Downlight (Power & Color Selectable)

DJ8T-30-01

5 Year Warranty

ATG Electronics®

Industry Leading 5 Year Limited Warranty

For North American LED Lighting Fixtures

ATG Electronics warrants to the original purchaser of ATG Electronics Domestic LED products listed above that were manufactured for which the ATG Electronics Spec Sheet located on our website contains the words "5 year limited warranty" that, subject to the below terms and conditions of this warranty, when such LED products are properly installed they will comply with ATG Electronics published product specifications for such products and will be free from material defects in material and workmanship for a period of five (5) years from the date of sale by ATG Electronics, or, if lesser, 50,000 hours of operation (at an average of 13.6 hours per day operation). The LED arrays in the Product(s) will be considered defective in material or workmanship only if a total of 15% or more of the individual light emitting diodes in the Product(s) fail to illuminate.

The above express limited warranty is extended by ATG Electronics® only to the original or first end-user purchaser and only for the original installed location. This warranty only applies to products purchased after June 1, 2017. This warranty is non-transferrable, whether by assignment or operation of law. The original purchaser must provide warranty claims to ATG Electronics within the warranty period promptly upon discovery and in accordance with ATG Electronics Return and Repair Procedures as outlined within this document.

Should any defects be found by ATG Electronics upon its inspection of the properly returned product, ATG Electronics sole responsibility and liability under this warranty will be, at its option, to either repair or replace the defective part or parts or else make available a new replacement unit that will provide equal or better performance. All decisions regarding the existence or non-existence of defects or otherwise affecting the warranty shall be made by ATG ELECTRONICS and shall be final and binding on all parties. Where a defective LED product is replaced under this warranty, the balance of the original warranty period shall remain effective.

Conditions and Exclusions

This warranty is conditioned upon proper installation, use and maintenance. This warranty will automatically become null and void and shall not be applicable to any LED fixture which (i) has not been timely paid for, (ii) is not installed and operated in accordance with the current edition of The National Electric Code (NEC), the Standards for Safety of Underwriters' Laboratory, Inc. (UL) or with ATG Electronics instructions and guidelines, (iii) has been moved from its original installation, (iv) has been installed within an area that has exposure to sulfur or any area with high acidic compounds in use, (v) has been operated in an ambient temperature or humidity that is higher than the stated ambient operating range from datasheets, (vi) has been subjected to a lightning strike, power surge or overvoltage condition, (vii) has its LED Board subjected to static electricity due to failure to discharge same prior to connecting or disconnecting the lead from the LED board, (viii) was not installed and/or operated in accordance with ATG Electronics instructions and guidelines, (ix) has been mishandled, misused, abused, tampered with, modified or altered by anyone other than ATG ELECTRONICS, (x) has been subjected to abnormal stresses and operating conditions, or (xi) has been operated without overvoltage and lightning protection devices in place.

Limitations

Disclaimers & Limitations of Liability

The foregoing warranty is exclusive of all other statutory, written or oral warranties and no other warranties of any kind, statutory, by operation of law or course of performance, or otherwise, are given, herein expressed or otherwise received. EXCEPT AS EXPRESSLY PROVIDED ABOVE, ATG ELECTRONICS DISCLAIMS ALL REPRESENTATIONS, WARRANTIES AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, REGARDING THE LED PRODUCTS AND ITS SERVICES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE.

LIMITATION OF LIABILITY. Other than the obligation to repair or replace as provided above, ATG Electronics shall have no liability for any losses, expenses or damages as a result of the installation, use, inability to use, removal or replacement of any LED product. ATG Electronics will not under any circumstances whether as a result of breach of contract, breach of warranty, tort, strict liability or otherwise be liable for consequential, incidental, special or exemplary damages including but not limited to, loss of profits or revenues, loss of any other goods or associated equipment or damage to any associated equipment, cost of capital, cost of substitute products, facilities or services, down time cost or claims of claimant's customers. ATG Electronics liability on any claim of any kind for any loss or damages arising out of, resulting from or concerning any LED product, any aspect of this warranty or for any products or services furnished hereunder shall not exceed the price of the fixture which gives rise to the claim.

Return and Repair Procedures

All warranty requests and or questions are to be directed to ATG Electronics Customer Service Department (CSD) at 888-618-7298. If deemed necessary, the CSD will issue a Returned Merchandise Authorization (RMA) number which must be included on both the packing slip of the component or fixture being returned and on the outside of the box. You must include your name and contact information, including your email address, on the packing slip so that we can contact you easily. Each component or fixture must be packaged very carefully and properly so as to prevent damages in shipment and must be shipped freight prepaid. Please obtain a proof of delivery to ensure that the material is received.

Once the component or fixture has been received and tested, an evaluation report will be provided to the end user via email. This report will clarify the following:

- A) The component / fixture is covered under the warranty policy and will either be repaired or replaced.
- B) The component / fixture is not covered under the warranty policy and the reason for this determination.

If ATG ELECTRONICS determines that the component or fixture is covered under the warranty, then the appropriate repairs will be started or a replacement fixture will be manufactured and shipped. Please note that in the event the returned component or fixture is found not to be covered under this warranty, you may be subject to a labor charge for the evaluation process and will be responsible for all return shipping charges and fees. For components and fixtures determined to be covered under this warranty prior to the first anniversary of the Sale Date, the repaired or replacement component or fixture will be returned to you at no charge. You will be responsible for all other shipping charges.

No Labor Reimbursement

All components and fixtures determined to be covered by this warranty as provided above, will be repaired or replaced at no charge to the customer, however, except as expressly provided above with respect to recessed and linear fixtures during the first year, the customer must hire and pay for an electrician to remove and reinstall such components and fixtures. No labor costs will be covered for the removal or reinstallation of any components or fixtures. The warranty does not cover modifications, repairs or replacements, or the related labor or materials costs, that may be necessary to facilities or third party products in connection with the removal, repair, or replacement of any LED product under this warranty.